



3M™ RFID Staff Workstations

[Model 895 and Model 896]

Process items quickly and safely

As a components of the 3M™ RFID System, these versatile units can operate as a circulation desk or tag programming station. In addition to handling multiple items at the same time, the workstation processes both barcodes and RFID tags at checkout and return, and the 'case set' feature prevents item substitution during checkout and return. They can also program and reprogram RFID tags and perform barcode-to-RFID conversions—there's no need to use different machines during the conversion process. With its ergonomic design, the reader pad has a low profile, so items can be processed quickly and safely. The workstation is fully compatible with existing circulation desk computers, scanners and printers, and the display can be adjusted to allow easy viewing of the library's automation system.

Model 896: Seamless ILS Integration

Model 896 directly integrates with your ILS System ensuring a fast, efficient transition to RFID. It allows users to operate in their familiar ILS circulation mode without any additional steps providing fast, accurate check-in and checkout of materials and the ability to quickly address holds and other special messages with confidence.

- Two-way communication allows for simply, accurate processing of materials.
- Integrates with many ILS vendors including Polaris and, coming soon, SirsiDynix. Please contact your consultant for the latest integrations.
- Compatible with Innovative Interfaces Incorporated's Millennium Item Status API

Easy to Use

- Operates as a circulation station
- Includes software to convert bar-coded items to RFID
- Synchronized keyboard hot key feature allows simultaneous mode selection (check-in or checkout) for the ILS and workstation (only needed with Model 895)
- RFID 'case set' feature saves time through reduced handling

Fast and Efficient

- Processes RFID tags and barcodes
- Processes multiple items at the same time

Seamless Compatibility

- Works with existing systems and all media types
- Uses a unique software wedge to allow compatibility with most ILS/LMS (only needed with Model 895)
- Ergonomic design, low profile reader pad

3M Tag Data Manager

- Allows the workstation to read multiple formats without impacting performance, ideal for libraries who share materials with libraries that use other RFID tag formats
- Freedom to move to ISO Tag Data Standard in the future
- Empowered to read country specific data formats

Dimensions

- Pad:
11.4" x 11.4" x 0.6"
(289 mm x 289 mm x 1.5 mm)
- Reader:
5.125" x 3" x 1"
(130 mm x 76.2 mm x 25.4 mm)

Energy Profile

- Reader:
100-240 VAC
47-63 Hz
0.6A

Weight (Approximate)

- Pad & Reader:
2.6 lbs (1.2 Kg)

*Only the pad, reader and software are provided by 3M.



3M Library Systems
3M Center, Bldg. 225-4N-14
St. Paul, MN 55144-1000
USA
1-800-328-0067
www.3M.com/us/library

Please recycle. Printed in USA.
© 3M 2010. All rights reserved.
3M, SelfCheck and Tattle-Tape
are trademarks of 3M. All other
trademarks are the property of
their respective owners.

UL-Certified

Meets the EU
WEEE and RoHS
Directives